

Recurrent Kounis Syndrome Due to Amoxicillin Induced Anaphylaxis: A Case Report

W. L. M. Soysa ^{a*}, Y. Ranaweera ^a and M. Jayaweera ^a

^a National Hospital, Colombo 10, Sri Lanka.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/88663>

Case Study

Received 14 April 2022
Accepted 28 June 2022
Published 30 June 2022

ABSTRACT

Kounis syndrome is the occurrence of acute coronary syndrome during an allergic, anaphylactoid or anaphylactic reaction. It is thought to be due to the mast cells activation and degranulation. Patients can present with features of Acute coronary syndrome during or after a hypersensitivity reaction.

Here we report a case of a 60-year-old gentleman presenting with fascial swelling, rash, shortness of breath associated with severe tightening left sided chest pain and dizziness which occurred 5 minutes after taking Amoxicillin. Serial ECGs taken showed dynamic ischemic changes with a rising Troponin I titer. He was subsequently managed for both the anaphylaxis and the non-ST elevation myocardial infarction. Subsequent history revealed that he had a similar episode following amoxicillin four years ago.

This case report highlights the importance identifying Kounis syndrome as an important differential diagnosis amongst patients presenting with chest pain. This syndrome which can be easily diagnosed clinically if missed can lead to mismanagement of a relatively easily treatable cause of acute coronary syndrome.

Keywords: *Kounis syndrome; coronary vasospasm; acute coronary syndrome; anaphylaxis; amoxicillin.*

1. INTRODUCTION

Kounis Syndrome is the concurrence of acute coronary syndrome with conditions associated with mast cells activation, such as allergies or hypersensitivity and anaphylactic or anaphylactoid insults [1] Since its first description in 1991 it has been extensively studied and expanded. Three variants have been described with different pathophysiology: Due to coronary vasospasm (Type 1), plaque erosion and rupture (Type 2) and stent thrombosis with histological infiltration by eosinophils and mast cells of the thrombus (Type 3) [2].

Recognizing this syndrome as separate clinical entity is crucial in clinical practice as it has a unique management. Certain drugs used in acute coronary syndrome such as beta blockers may be harmful in Kounis syndrome.

This case report aims to highlight the importance of early recognition of this syndrome amongst patients presenting with chest pain. To the best of our knowledge recurrent acute coronary syndrome due to Kounis syndrome due to the same agent is very limited in literature.

2. CASE REPORT

A 60-year-old male presented with sudden onset rash, swelling of face and lips five minutes after taking amoxicillin for an infected wound. He also complained of an ischemic type of chest pain. He

had a 30-pack year smoking history and regular alcohol consumption but no other vascular risk factors. He had a similar episode four years back where he developed chest pain and a rash few minutes after taking amoxicillin. He had documented ECG changes suggestive of an ischemic event during the previous episode. He has no history of other allergies.

On examination he had fascial and lip swelling with a generalized erythematous rash. He had bilateral rhonchi on auscultation. His blood pressure was 90/60 and had a tachycardia of 110 bpm.

ECG showed deepening of T-inversions from V1-V6 (Fig. 1). Troponin I was 0.07 (more than the 99th percentile). 2D echo showed a mild hypokinesia of anterior wall with a EF of 50-55% and grade 1 MR.

A diagnosis of Kounis syndrome was made with anaphylaxis to amoxicillin.

Patient was managed with IM Adrenaline 0.5ml (1:1000), IV Hydrocortisone 200mg and IV Chlorphenamine 10mg. He received stat doses of Aspirin 300mg, Clopidogrel 300 mg and Atorvastatin 40mg and was continued with Aspirin 75mg nocte, Clopidogrel 75mg nocte, Atorvastatin 40mg nocte, subcutaneous enoxaparin 60mg twice daily for 6 doses. He also received oral Prednisolone 10mg and oral Chlorphenamine 4mg for five days. Patient had an uneventful recovery.




Fig. 1. Serial ECG taken during admission

3. DISCUSSION

Kounis syndrome was first described in 1991 by Kounis and Zavras as a syndrome of allergic angina pectoris [3]. Postmortem examination of coronary artery specimens in 20 patient who died of myocardial infarction by Kovanen et al. in 1995 revealed higher levels of mast cells degranulation at sites of plaque rupture and erosion as compared to adjacent or distant sites [4].

Various triggers have been implicated with Kounis syndrome including drugs, food and environmental agents. Studies show that nonsteroidal anti-inflammatory drugs is the most frequently trigger (60.7%), followed by drugs for cardiovascular disease (19.6%), antibiotics (17.6%), and anesthetics (9.8%) [5]. Amongst drugs the commonest implicated is Amoxicillin/Clavulanic. Kounis syndrome with other beta-lactam antibiotics have also been reported commonly presenting with cutaneous and respiratory manifestations, similar to this patient [6].

Other than drugs, insect bites including hornet stings [7] and snake bites [8] have been associated with Kounis syndrome. Lack of diagnostic criteria has led to underdiagnosis of this syndrome. Thus the possibility of many unreported culprits of Kounis syndrome should be considered [9].

Kounis syndrome has also been diagnosed following death and poses a diagnostic challenge during postmortem studies. Postmortem histopathologic examination of the myocardium, serum specific immunoglobulin E levels and tryptase levels have been reported to help with the diagnosis [10].

Although the diagnosis can be made by clinical judgement, laboratory tests (eosinophils, immunoglobulin E, and myocardial injury markers), ECG, echocardiography and coronary angiography support the diagnosis of this disease [11]. Further allergic reactions could be proved by high serum tryptase levels and eosinophilia in blood. We did not perform Tryptase levels as an obvious clinical diagnosis of anaphylaxis could be made. Eosinophilia was not observed in our patient.

Management will depend on the Type of Kounis syndrome. Type 1 will require only the management of the allergy/anaphylaxis while other types would additionally require the

standard management of acute coronary syndrome. Since an angiogram was not performed in the acute setting, we assumed the patient to have Type 2 Kounis syndrome due to multiple risk factors in this patient for coronary artery disease.

Case reports of acute coronary syndrome following Epinephrine injection were found on literature review. This was thought to be unlikely as our patient was symptomatic with ECG changes prior to administration of Epinephrine and since only a therapeutic dose of Epinephrine was used.

4. CONCLUSION

Kounis syndrome remains under diagnosed in the emergency setting, as the disease lacks sufficient diagnostic criteria. Thus, doctors are forced to come to a diagnosis based only on clinical judgement. It should be an important differential diagnosis amongst patients admitted with chest pain. This case report highlights the need to add the management of Kounis syndrome in the management guidelines of acute coronary events and establishment of standard criteria for this disease.

ETHICAL APPROVAL

As per international standard or university standard written ethical approval has been collected and preserved by the author(s).

CONSENT

As per international standard or university standard, patients' written consent has been collected and preserved by the author(s).

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. NG Kounis, Andreas Mazarakis, Grigoios Tsigkas et al. Kounis Syndrome: A new twist on an old disease. *Future Cardiology*. 2011;7(6):805-824
2. NG Kounis. Kounis Syndrome (Allergic angina and allergic myocardial infarction): a natural paradigm? *International Journal of Cardiology*. 2006;110:7-14

3. NG Kounis, GM Zavras. Histamine – induced coronary artery spasm: the concept of allergic angina. Br. J. Clin. Practice. 1991;45:121:128
4. PT Kovanen, M Kaartinem, T Paavonen. Infiltrates of activated mast cells at the site of coronary atheromatous erosions or rupture in myocardial infarction. Circulation 92 1995; 1083
5. Abdelghany M, Subedi R, Shah S, et al. Kounis syndrome: A review article on epidemiology, diagnostic findings, management and complications of allergic acute coronary syndrome. International Journal of Cardiology. 2017;232:1-4
6. Ridella M, Bagdure S, Nugent K, Cevik C. Kounis syndrome following beta-lactam antibiotic use: review of literature. Inflammation & Allergy-Drug Targets (Formerly Current Drug Targets-Inflammation & Allergy)(Discontinued). 2009;8(1):11-6.
7. Ralapanawa DM, Kularatne SA. A case of Kounis syndrome after a hornet sting and literature review. BMC Research Notes. 2014;7(1):1–5,
8. Priyankara WDD, Manoj EM, Gunapala A, Ranaweera AG, Vithanage KS, Sivasubramaniam M, Snajeeva E. Cardiogenic shock due to kounis syndrome following cobra bite. Case Reports in Critical Care; 2019.
9. Limpo B, Martínez-de-Tejada ÁM. Kounis syndrome: is it rare or is it underdiagnosed?. Kardiologia Polska (Polish Heart Journal). 2017;75(5):505.
10. Nicholas G Kounis, Ioanna Koniari, Grigorios Tsigkas et al. Death following ceftazidime-induced Kounis syndrome: Diagnostic considerations in the realm of forensic pathology. Medico-Legal Journal. 2020;88(1):48-4
11. Abdelghany M, Subedi R, Shah S, Kozman H. Kounis syndrome: A review article on epidemiology, diagnostic findings, management and complications of allergic acute coronary syndrome. Int J Cardiol. 2017;232:1–4.

© 2022 Soysa et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

*The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/88663>*